



WIRELIN LUBRICANT ECF[®]

BIODEGRADABLE WIRE ROPE DRESSING

DESCRIPTION

WIRELIN LUBRICANT ECF is a unique product for all wireline applications where a grease type lubricant is needed. Specially formulated for slick line, electric line and wire rope, this new formula is designed to meet the increasing demands of today's oilfield market. Certified to the Norwegian environmental classification for biodegradability.

WIRELIN LUBRICANT ECF is H₂S inhibited and has unique capabilities as a preservative against rust & corrosion. It also offers excellent protection against extended exposure to the elements, including UV radiation.

WIRELIN LUBRICANT ECF can be applied by hand or through a pneumatic lubricator system. The easy-flow formulation will stick to the wire and penetrate to the wire core for ultimate protection and wire life.

ADVANTAGES

- Easy to apply
- Non-conductive
- Norwegian 'Yellow' rating
- Wide temperature range
- Extremely water resistant
- Contains no VOCs

APPLICATIONS

WIRELIN LUBRICANT ECF is ideally suited for the following applications:-

- Corrosive environments
- Braided line
- Slick line
- Mooring line

PRODUCT CHARACTERISTICS

Service Range:	-29°C (-20°F) to 260°C (500°F)	
Thickener	Calcium sulphonate complex	
Fluid Type	Petroleum	
Appearance	Beige, buttery grease	
NLGI Grade	1	
Penetration @ 77°F (ASTM D-217)	310-330	
Copper Strip Corrosion (ASTM D-4048)	1A	
Low temp Flexibility test	Pass	
Volatile material	<2%	
Load Wear Index (typical)	31	
Salt fog corrosion test	>1000 hr	
Oil separation 100°C 24hr	5% max	

PACKAGING

Code No.	Size	Container
JA29312	12.5kg	Metal pail
JA29329	181kg	Barrel

LIMITED WARRANTY

Jet-Lube (UK) Limited makes the Limited Express Warranty that at the date of delivery, this product shall be free from defects in Jet-Lube (UK) Limited materials and workmanship. This limited Express Warranty is expressly in lieu of any other express or implied warranties, including any implied warranty of merchantability or fitness for a particular purpose, and of any other obligation on the part of Jet-Lube (UK) Limited. The sole remedy for breach of the Limited Express Warranty shall be the refund of the purchase price. All other liability is negated and disclaimed, and Jet-Lube (UK) Limited shall not be liable for incidental or consequential damages